UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/718,815	11/24/2003	Jeong-Wook Seo	46049	3442
Peter L. Kendal	7590 02/24/200 <b>l</b>	EXAMINER		
Roylance, Abrams, Berdo & Goodman, L.L.P. Suite 600 1300 19th Street, N.W. Washington, DC 20036			NEGRON, WANDA M	
			ART UNIT	PAPER NUMBER
			2622	
			MAIL DATE	DELIVERY MODE
			02/24/2009	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/718,815	SEO ET AL.				
Office Action Summary	Examiner	Art Unit				
	WANDA M. NEGRON	2622				
The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address				
Period for Reply		0) 0D THIRTY (00) BANG				
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tinwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>22 O</u>	ctober 2008.					
• • • • • • • • • • • • • • • • • • • •	action is non-final.					
3) Since this application is in condition for allowa						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-29</u> is/are pending in the application.						
4a) Of the above claim(s) <u>1-13 and 21-29</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>14,15 and 18-20</u> is/are rejected.						
7) Claim(s) 16 and 17 is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	er.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)☐ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau						
* See the attached detailed Office action for a list	of the certified copies not receive	d.				
Attachment(s)	A) 🗖 10.1	(DTO 442)				
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)	(୮10-413) ite				
3) Information Disclosure Statement(s) (PTO/SB/08)  5) Notice of Informal Patent Application						
Paper No(s)/Mail Date	6)					

### **DETAILED ACTION**

Applicant's request for consideration of previously withdrawn claim 20 (see reply filed on 10/22/2008) is acknowledged.

### Response to Arguments

Applicant's arguments, see pages 5-9, filed on 10/22/2008, with respect to the rejection(s) of claim(s) 14-19 under 35 USC § 102 or 35 USC § 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn.

However, upon further consideration, a new ground(s) of rejection is made in view of Anderson (US Patent No. 5,903,309), Nakabayashi (US Patent No. 5,550,593), Lee et al. (US Application Publication No. 2002/0062313), and Kaku (US Patent No. 6,728,471). Since this is a new ground of rejection, which was not done because of an amendment, this action is non-final.

### Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

<u>Claim 14 is rejected under 35 U.S.C. 112, first paragraph, as failing to</u>

<u>comply with the enablement requirement.</u> The claim(s) contains subject matter

which was not described in the specification in such a way as to enable one skilled in

the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claim 14 recites in lines 3-4 "coding each of the displayed image signals into still pictures in a photo capture mode". In line 6, claim 14 recites "coding the captured image signals into image data units". The specification as filed is not enabling in the matter of coding the image signals that were already coded when captured.

In addition, **claim 14** discloses in (c) and (d) the steps of displaying a plurality of combined data units stored in the memory and accessing combined data. The specification as filed is not enabling in the matter of displaying a plurality of combined data units without accessing, separating and decoding said combined data units.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 14 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In line 6, **claim 14** recites "coding the captured image signals". It is unclear if "the captured image signals" are the images displayed in a captured mode or the coded still pictures that are captured and stored in memory.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

# Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson (US Patent No. 5,903,309) in view of Nakabayashi (US Patent No. 5,550,593).

Regarding **claim 14**, Anderson discloses a method for processing image signals in a mobile terminal equipped with a camera and an image codec (*i.e.*, a digital camera 110 comprising imaging device 114 and an inherent image codec in order to generate JPEG data 464'), comprising the steps: (a) displaying image signals received from the camera in a capture mode (see col. 4, lines 56-67), coding each of the displayed image signals into still pictures in a photo capture mode (*i.e.*, generating JPEG data 464'), and storing the still pictures in a memory (see col. 3, lines 58-67); (b) coding the captured image signals into image data units based upon a frame size in a combined signal storing mode (*i.e.*, generating JPEG data 464' based on a frame size since only one image frame is coded), coding audio signals into audio data units according to the image data units (*i.e.*, recording digital sound data corresponding to image data 464'; see col. 7, lines 4-12), adding image headers to each of the image data units (*i.e.*, adding header 462'), combining the image data units and audio data units (*i.e.*,

Art Unit: 2622

including the digital sound data in sound field 474 corresponding to image data 464'; see col. 7, lines 4-12), and storing combined data units in the memory (storing combined file 470 in memory 354); (c) in response to a request to view a combined data signal, displaying a plurality of combined data units stored in the memory (i.e., in a review mode, displaying cells 420 representing images captured and any associated tags and audio; see figure 5 and col. 6, line 45 et seq.), accessing selected combined data, separating the image and audio data units via the image headers, and decoding and reproducing the image and audio data units (i.e., after selecting one of the displaying cells 420, the expanded file 470 is accessed and the image data (which is conventionally generated from an JPEG image file using the JPEG header/markers) is fully displayed while the sound is played; see col. 7, lines 5-12). Anderson also discloses displaying the plurality of combined data units stored in the memory (i.e., displaying cells 420 representing images captured and any associated tags and audio; see figure 5 and col. 6, line 45 et seq.), and accessing selected combined data (i.e., after selecting one of the displaying cells 420, the expanded file 470 is accessed; see col. 7, lines 5-12).

Anderson however does not explicitly disclose the step of assembling transmission packets based upon a selected combined data in response to a request to transmit combined data, and transmitting the assembled transmission packets; and a combined signal reception mode comprising the step of disassembling received packet data, combining image and audio data and storing a result of the combining in the memory.

The concept of an imaging system comprising a combined signal transmission mode and a combined signal reception mode for transmitting/receiving data packets including image and audio data is well known in the relevant art, as evidenced by Nakabayashi (see figures 6-8 and col. 7, line 60 et seq.). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to try to implement the transmitting/receiving capabilities taught by Nakabayashi in the invention disclosed by Anderson since a person with ordinary skill has good reason to pursue the known options within his or her technical grasp if this leads to an anticipated result, *i.e.*, a digital camera with the capability of transmitting and receiving combined image data.

Claims 15 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson (US Patent No. 5,903,309) in view of Lee et al. (US Application Publication No. 2002/0062313), hereinafter referred to as Lee, and further in view of Kaku (US Patent No. 6,728,471).

Regarding **claim 15**, Anderson discloses a method for generating a combined signal (see figure 9) in a mobile terminal equipped with a camera and an image codec (*i.e.*, a digital camera 110 comprising imaging device 114 and an inherent image codec in order to generate JPEG data 464'), comprising the steps of: (a) coding each of one or more image signals captured by the camera into still pictures based upon a frame size via the image codec (*i.e.*, generating JPEG data 464') and inserting an image header 462' into each of the coded image signals; (b) after generating the picture signals,

Art Unit: 2622

generating at least one text signal (*i.e.*, text in info. Field 472; see figure 9 and col. 6, lines 61-64); (c) combining the picture signals with a text signal (see figure 9); and (d) storing a combined signal representative of a result of the combining in a memory (*i.e.*, storing the expanded file 470 in removable memory 354).

Anderson, however, does not explicitly disclose that the image header contains image pattern information and frame size information, and generating moving picture signals based on the coded image signals.

The concept of storing image pattern information (*i.e.*, information indicating the image codec type of the still pictures) and frame size information (*i.e.*, screen size information) in the header portion of a file is well known in the art, as evidenced by Lee (see figure 1). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include image pattern information and frame size information in the image header in order to properly decode and display the image data.

In addition, the concept of generating moving picture signals based on coded image signals (*i.e.*, creating a motion image file by successive JPEG compression of still image data) is well known in the art, as evidenced by Kaku (see col. 3, lines 1-16). It would have been obvious to one having ordinary skill in the art at the time the invention was made to try to generate moving picture signals based on the coded image signals since a person with ordinary skill has good reason to pursue the known options within his or her technical grasp if this leads to an anticipated result, *i.e.*, generating a motion JPEG image file.

Regarding **claim 18**, Anderson in view of Lee and Kaku discloses that the step (a) comprises the steps of: (a-1) compressing and coding the image signals based upon the frame size (*i.e.*, generating JPEG data 464'; see Anderson); (a-2) generating the image header containing information indicating a size of each compressed and coded image signal and an image pattern signal (see 462' in Anderson and Lee, figure 1); (a-3) inserting the image header into each compressed and coded image signal and generating a still picture signal based upon the frame size (see 464' in figure 9 of Anderson); and (a-4) repeating an operation for generating the still picture signal and generating the moving picture signals (see Kaku, lines 1-16).

Regarding **claim 19**, Anderson in view of Lee and Kaku discloses that the compressed and coded image signals are Joint Photographic Expert Group (JPEG) coded image signals (see 464' in figure 9 of Anderson).

Regarding **claim 20**, official notice is taken that the concept of registering an image file name and a place and time of image capture associated with said file is old and well known in the art. It would have been obvious to one having ordinary skill in the art at the time the invention was made to register a name of the combined signal and a place and time of image capture associated with the combined signal because the user is able to store the image file using a preferred filename for quick file retrieval, and to store associated information for future reference.

Application/Control Number: 10/718,815

Art Unit: 2622

### Allowable Subject Matter

Page 9

Claims 16 and 17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

Regarding claims 16 and 17, the relevant prior art fails to disclose or reasonably suggest that the step (b) of parent claim 15 comprises the steps of: (b-1) deciding maximum length of displayable text according to a playback time required for reproducing the obtained moving picture signals and displaying the reproduced moving picture signals; (b-2) generating a text header containing information indicating a size of the received text signal and a text pattern signal; and (b-3) inserting the text header into the text signal and generating the text signal having the inserted text header.

Application/Control Number: 10/718,815 Page 10

Art Unit: 2622

Any inquiry concerning this communication or earlier communications from the examiner should be directed to WANDA M. NEGRON whose telephone number is (571)270-1129. The examiner can normally be reached on Mon-Fri 9:30 am - 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on (571) 272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Wanda M. Negrón/

Examiner, Art Unit 2622 February 17, 2009

/Sinh N Tran/ Supervisory Patent Examiner, Art Unit 2622 Application/Control Number: 10/718,815

Page 11

Art Unit: 2622